




SPECIAL APPLICATION

RXA SERIES CLEAN ROOM RECESSED 2" T. GRID LUMINAIRE



WET LOCATION U.L. LISTING



- DESIGNED FOR 2" T, GRID CEILINGS.
- HOUSING CONSTRUCTED OF DIE FORMED 20 GAUGE STEEL WITH WELDED SEAMS.
- ADJUSTABLE FULL LENGTH LENS RETAINERS.
- STAINLESS STEEL FASTENERS.
- GASKETED DOOR AND LENS PREVENTS CONTAMINATING AIR FLOW.
- CABLE FASTENERS PROVIDED ON FIXTURE FOR ADDITIONAL SUPPORT IN EARTHQUAKE PRONE AREAS.
- UNIVERSAL HINGE BRACKETS PERMIT TOOLLESS DOOR REMOVAL.



THE L.C. DOANE COMPANY DESIGNERS AND MANUFACTURERS OF SPECIALIZED LIGHTING EQUIPMENT
P.O. Box 975 • Essex, CT 06426 • (860) 767-8295 • Fax (860) 767-1397 • Web Site: www.lcdoane.com

SPECIAL APPLICATION

EXAMPLE: RXA-4/32E-120-CW53-FH

RXA	-	/	-	-	-	-	-	-
CHART	1	2	3	4	5	6	7	OPTIONS

CHART 1	LAMP QTY.		
	<input type="text" value="2"/>	<input type="text" value="4"/>	<input type="text" value="6"/>
LAMPS NOT INCLUDED			

CHART 5	DOOR MATERIAL	
<input type="text" value="C"/>	COLD ROLLED STEEL	
<input type="text" value="S"/>	STAINLESS STEEL	
<input type="text" value="A"/>	ALUMINUM	

CHART 2	LAMPS	
<input type="text" value="17"/>	17W RS 2' T8	
<input type="text" value="20"/>	20W PH 2' T12	
<input type="text" value="32"/>	32W RS 4' T8	
<input type="text" value="40"/>	40W RS 4' T12	
<input type="text" value="4B"/>	40W RS 2' T5 BIAX	
<input type="text"/>		

CHART 6	DOOR FINISH	
<input type="text" value="W"/>	WHITE	
<input type="text" value="R"/>	BRUSHED, STAINLESS ONLY	
<input type="text"/>		

CHART 3	BALLAST	
<input type="text" value="S"/>	ENERGY SAVING	
<input type="text" value="E"/>	ELECTRONIC	
<input type="text" value="D"/>	DIMMING	
<input type="text" value="L"/>	LOW TEMPERATURE	
<input type="text"/>		

CHART 7	LENSES	
<input type="text" value="53"/>	.125 ACRYLIC K12 PRISMATIC (STD)	
<input type="text" value="12"/>	.125 POLYCARB. K12 PRISMATIC	
<input type="text" value="15"/>	.156 POLYCARB. K12 PRISMATIC	
<input type="text"/>		

CHART 4	VOLTAGE (60 Hz.)		
	<input type="text" value="120"/>	<input type="text" value="277"/>	<input type="text" value="347"/>

OPTIONS	
<input type="text" value="E1"/>	ONE LAMP EMERGENCY SERVICE
<input type="text" value="E2"/>	TWO LAMP EMERGENCY SERVICE
<input type="text" value="FH"/>	FUSE AND HOLDER
<input type="text"/>	
<input type="text"/>	
<input type="text"/>	

DIMENSIONS AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTIFICATION.

MODIFICATIONS ARE AVAILABLE TO SUIT CUSTOM REQUIREMENTS.



THE L.C. DOANE COMPANY DESIGNERS AND MANUFACTURERS OF SPECIALIZED LIGHTING EQUIPMENT
 P.O. Box 975 • Essex, CT 06426 • (860) 767-8295 • Fax (860) 767-1397 • Web Site: www.lcdoane.com